Dauberimire Datasheet

Date:

Recorder: Observer:

Team lead:

Site: tver1a ver1

Transect:

2

Round:

100m

	CS6	WS6	Forbs	Milkweed	Common	Swamp ramet #	Butterfly ramet #	Woody	Bare	Leaf	Litter Depth (cm)
0 m	0	\Diamond	018	0	0	\bigcirc	0	S	(0)	RG	-:->
10 m	0	0	210	8	\bigcirc	0	0	-	200		K, O
20 m	Ó	0	98	6	0	0	0	_	36	(02)	0.25
30 m	_	0	98	0	0	>	0)	9	1(0	200	20,0
40 m	0)	38	SQ V	0	0	0	0	6	0	82	0.25
50 m	9	0)	98	0	0	J	d	0)(0	0	2.7
60 m	(N)	10	63	0	0	0	0	0		8.0	0,70
70 m	6	286	03	0	0	0	0) (0	(b)	63	0.75
80 m	زب	63	103	0	0	0	0	0	160	8	0.25
90 m	W	38	(a.3	Ø	0	Ø	>)) R	7 3	v (
Robel Pole:	Pole:							(4		

	z	m	S	€
0 m	4	Q	0	4
10 m	12		0	4
20 m	H	D	W	1
30 m	QI	0)	5	12
40 m	12	hl	12	12
50 m	0	03	4	7
60 m	N	0)	A)	7
70 m	\sim	1	6	7
80 m	6	0	N	٥
90 m	0	(0)	4	6

Categories: Q - absent | 1 - trace | 3 - trace | 33 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm