Daubenmire Datasheet

Date:

Observer:

RASPIPO

Site:

Transect:

uth3

tuth3b

100m

Round:

Recorder: Team lead:

	CSG	WSG.	Eogh	Milburgad	Common	Swamp	Butterfly	Woody	Bare	Leaf	l itter
					ramet #	ramet #	ramet #	Species	Ground	Litter	Depth (cm)
0	16	1 (0	(N)	0	0	9)		N	20	
10 m	200	7	20)	0	Э	9	30	2)(X		100
20 m	(N)	0	Sp	0	0		0			30	
30 m	160	16	W ()	0	0	Q	0	2	NE	NC	2000
40 m	W %	\mathcal{O}	S	0	0	3	0)	Nc	200	3000
50 m	16	0	S	W	5	0	O	0	7/7	50	0,70
60 m	16	XX	W	0	0	0	9	3	No	N	2000
70 m	Cu	25	S	0	0	0	0		9(200	2000
80 m	16	W	SS	0	0	0	9	0	7)(NE	2 0
90 m	(V)	CV	10	0		9	9	9	500	No	2000
Robel Pole:	Pole:						((Ç		0000

				-
	z	E	S	8
0 m	S	U	U	W
10 m	S	W	4	h.
20 m	0)	6	4	4
30 m	$\langle \mathcal{N} \rangle$	C	4.	N
40 E	W	J.	<u></u>	4
50 m	N	4	N	W
60 m	(1)	Л	7	4
70 m	t	N	300	4
80 m	N	N	N (2
90 #	W	N	7	N

Categories: <u>0</u> - absent <u>| 1</u> - trace <u>| 3</u> - trace-5% <u>| 16</u> - 5%-25% <u>| 38</u> - 25%-50% <u>| 63</u> - 50%-75% <u>| 86</u> - 75%-95% <u>| 98</u> - 95%-100% <u>CSG</u> - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground – includes rocks, lichens, moss, branches, and cow pies

Litter Depth - to nearest .25 cm Leaf Litter (horizontal dead material)