Daubenmire Datasheet

Date:

Recorder:

Observer:

5

Team lead:

Site: Transect: cre1

Round: tcre1a 100m ω

	CS6	WS6	Forbs	Milkweed	Common	Swamp ramet #	Butterfly ramet #	Woody	Bare	Leaf Litter	Litter Depth (cm)
0 m	9	0	86	0	t	ľ	1	9	w	86	1.25
10 m	91	0	ω Θ	0	1	1		0	16	63	0.5
20 m	w	16	S 60	0	1	1		0	w	38	0,5
30 m	N	0	₩ \$	16	(S whoole)	•	1	0	16	63	1.5
40 m	0	0	63	0	r	1	1	0	w	38	0,25
50 m	0	9	38	6	ţ		()	0	w	38	0.25
60 m	0	9	63	\rightarrow	1	١	-	0	6	83	2,0
70 m	_	0	63	0	r 10000000	1	ť	0	0	88	2.5
80 m	6	9	63	6	,	1	(0	_	8 8	4.0
90 m	0	9	98	6	-	1	1	0	_	89	- 5
Robel Pole:	Pole:										

\boldsymbol{z}
0
σ
<u>o</u>
7
0
0
••

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	
z	+	S	W	7	8	8	2	9	
Е	9	4	9	7	9	5	8	®	
S	4	4	7	P	S	9	7	5	
€	W	5	9	5	7	9	2	00	

CSG - cool season grasses (including sedges) Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground – includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm