Daubenmire Datasheet

Date: Transect:

Observer: Name

Recorder: Name

Team lead: Statute

Site:

Transect:

Round:

| | CSG | WSG | Forbs | Milkweed | Common ramet # | Swamp ramet # | Butterfly ramet # | Woody Species | Bare Ground | Leaf Litter | Litter Depth (cm) |
|------|-----|-----|-------|----------|----------------|------------------|-------------------|------------------|----------------|----------------|----------------------|
| 0 m | 0 | 1 | 63 | 0 | 0 | 0 | 0 | 0 | 103 | 110 | 0,85 |
| 10 m | | 3 | 16 | | 0 | 1 | 0 | | 16 | 103 | 0.25 |
| 20 m | 1 | 3 | (03 | 0 | 0 | 0 | 0 | | 1(0 | 38 | 0,35 |
| 30 m | 0 | 16 | 800 | 0 | 0 | 0 | 0 | | 3 | 38 | 0,25 |
| 40 m | 0 | 0 | 63 | 0 | 0 | 0 | 0 | 0 | 16 | 34 | 0,25 |
| 50 m | | | | | | | Ta Ta | | 14 | 20 | 0100 |
| 60 m | | | | | | | | | | | |
| 70 m | | | | | | | | | | | |
| 80 m | | | | | | | | | | | |
| 90 m | | | | | | | | | | | |

Robel Pole:

| | 0 m | 10 m | 20 m | 30 m | 40 m | 50 m | 60 m | 70 m | 80 m | 90 m |
|---|-----|------|---------------|------|--|------|------|------|------|------|
| Ν | 1 | 1 | 1 | 2/ | a | | | | | |
| E | | | ı | 2 | The state of the s | | | | | |
| S | 2 | 3 | \mathcal{Q} | Š | | | | | | |
| W | 1 | a | | 2 | | | | | | |

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

bcr1

tbcr1a

3

50m