Daubenmire Datasheet

Date:

Observer: Seth

Recorder: Seth

Team lead: Seth

app1 Site: tapp1a Transect: 2 Round: 50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody	Bare	Leaf	Litter
0 m	0	0	98	Ô		1 4.11.01 77	runer #	Species	Ground	Litter	Depth (cm)
10 m	3	7	86	6					38	63	2.0
20 m	16	0	(3	0			7 9	0	16	86	1-0
30 m	63	3	16	0				$\sim$	16	86	1.5
40 m	38	3	63	0				0	63	38	0.75
50 m			0 -	U				U	63	38	0.5
60 m											
70 m											
80 m				de							
90 m											

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	5	9	3	9	11	No. of		70 111	00 III	90 N
Ε	1	5	12	13	11					
s	15	1	12	3	2					
W	10	5	5	2						

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm