

# Daubenmire Plant Datasheet

Date: 7/26/16

Field Data Recorded by: Kelven

Team lead Kelven

Entered into PC by: \_\_\_\_\_ on this date: \_\_\_\_\_

Data Entry Checked by: \_\_\_\_\_ on this date: \_\_\_\_\_

Site: byd2

Transect: tbyd2a

ROUND: round 2

ROUND: \_\_\_\_\_

	CSG	WSG	Forbs	Milkweed		Woody Species	Bare Ground	Leaf Litter	Litter Depth
0 m	63	0	38	0		0	1	86	2cm
10 m	38	0	86	0		0	1	86	1cm
20 m	38	0	63	0		0	1	86	70.5
30 m	63	0	38	0		0	1	86	2cm
40 m	98	0	3	0		0	1	86	70.5
50 m	63	0	38	0		0	1	86	4cm
60 m	38	0	63	0		0	1	86	2cm
70 m	86	0	16	0		0	1	86	3cm
80 m	63	0	3	0		0	1	98	4cm
90 m	63	0	38	0		0	1	98	3cm

Robel Pole: \_\_\_\_\_

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	1	1	1	2	2	1	2	1	2	2
E	1	1	1	2	1	1	2	1	2	2
S	1	2	1	2	1	2	2	1	2	3
W	1	1	1	1	1	1	1	2	2	2

Transect length: 100 m or

Transect Direction: N/S or

mowed

Categories: 0 - absent 1 - trace 3 - trace 5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material), Litter Depth - to nearest .25 cm

Canada thistle