Dauberimire Datasheet

Site:

Round:

50m

Transect: _

tber3a

2

ber3

Date:

Recorder:

Observer:

Team lead:

10 m 3		CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare	Leaf Litter
0000 0000 0000 0000	0 m	W	\supset	6	9	1]		0	5	- 1
	10 m	38	つ (6	0	\		1	0	N	
00	20 m	6	0	83	0	1	\		9	S\$(63
40 m S O (6) 1 O (6	30 m	6	0	0)	0	1)	0	6	_
50 m 60 m 70 m 80 m	40 m	S	0	0	>	l r		1	0	0	_
60 m 70 m 80 m	50 m									Ŕ	
70 m 80 m 90 m	60 m										
90 m	70 m										
90 m	80 m										
	90 m										

KODEL POLE:

	O m	10 m	20 m	30 m	40 E	50 m	60 m	70 m	80 m	90 m
z	emeller of	W	W	2	8					
Е	2	+	2	W	()					
S	1	2	4	2	N					
€	B	2	H		N					

Categories: $\underline{0}$ - absent $|\underline{1}$ - trace $|\underline{3}$ - trace-5% $|\underline{16}$ - 5%-25% $|\underline{38}$ - 25%-50% $|\underline{63}$ - 50%-75% $|\underline{86}$ - 75%-95% $|\underline{98}$ - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm