

Daubenmire Datasheet

Date: 6/14/19

Observer: Kelany

Recorder:

Team lead:

Site:

Transect

Round:

byd1
tbydia
1

100m

	CSG	WSG	Forbs	Milkweed	Common ranet #	Swamp ranet #	Butterfly ranet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	3	0	86	0	0	0	0	0	3	86	1.00
10 m	3	0	98	0	0	0	0	0	3	86	1.25
20 m	1	0	98	0	0	0	0	0	3	86	1.25
30 m	1	0	98	0	0	0	0	0	3	63	0.50
40 m	16	0	86	0	0	0	0	0	3	63	0.50
50 m	63	0	63	0	0	0	0	0	63	38	0.25
60 m	38	0	86	0	0	0	0	0	16	86	0.75
70 m	16	0	86	0	0	0	0	0	3	86	1.00
80 m	16	0	86	0	0	0	0	0	16	86	1.00
90 m	3	0	86	0	0	0	0	0	38	63	0.50

Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	5	4	7	9	8	9	7	7	7	2
E	8	1	7	9	8	9	8	7	6	8
S	11	7	7	8	9	8	8	7	7	7
W	8	7	7	8	9	8	9	7	7	7

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

* really though
there was WSG
at 100m, but
I couldn't find
any