

# Daubenmire Datasheet

Snakegrass = CS6

Date: 6/18/18

Observer: KEF

Recorder: KEF

Team lead: KEF

Site:

Transect:

Round:

uth1

tuth1a

1

100m

	CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	16	0	3	0	0	0	0	0	98	3	0.25
10 m	16	0	38	0	0	0	0	0	63	16	0.50
20 m	38	0	3	0	0	0	0	0	0	98	0.25
30 m	16	0	3	0	0	0	0	0	16	63	0.50
40 m	38	0	3	16	2	0	0	0	16	63	0.25
50 m	16	0	16	0	0	0	0	0	38	38	0.25
60 m	3	0	63	0	0	0	0	0	16	16	0.25
70 m	63	0	38	0	0	0	0	0	16	16	0.50
80 m	16	0	38	0	0	0	0	0	0	63	0.75
90 m	38	0	63	0	0	0	0	0	1	38	0.25

Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	1	0	2	3	2	3	3	4	5	3
E	1	0	2	3	5	2	1	2	4	4
S	2	0	2	3	2	3	2	3	3	3
W	3	2	2	3	3	3	3	3	3	2

hemp  
penny cress?  
corn  
Snakegrass

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CS6 - cool season grasses (including sedges)

WS6 - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm