Daubenmire Datasheet

Date: 7-

Observer: Nick O +

Recorder: Nich

Team lead: \_

Site:

prd2

Transect:

tprd2a

Round:

2

100m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
	19	70	7	6)	1 4.11.0			0	0	-98	4.0
0 m	05	58						0	0	98	4.0
10 m	63	16	10	0				3	-	90	20
20 m	16	63	16	0				0	3	90	1.5
30 m	16	38	63	0			The state of the s		2	0	110
40 m	3	86	16	0		A.C.		0		48	4.0
50 m	63	3	3/3	0				0	3	98	5
60 m	38	3	38	0				0		78	3-0
70 m	16	63	2	$\bigcirc$				0	0	18	0,0
80 m	20	78	3	0				0	0	98	2.0
90 m	38	16	16	0					3	18	1.0

0-1-1	0-1	١.,
Robel	POI	e.

odel Po	ie:					100000	100		25 002	
	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	1	6	6	7	8	4	10	6	6	8
Е	6	6	7	8	7	6	1(	6	6	6
S	6	6	4	5	7	5	9	5	5	-/
W	6	(0	5	4	4	6	13	8	6	3

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm