Daubenmire Datasheet	)
Date: 7/13/17	Site:
	Transec
Observer: Feresa	Round:
Recorder:	
Team lead: Toresa	

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf	Litter
O m	63	0	16	2	1			Pecies	Oround	Litter	Depth (cm)
10 m	63	0	38	1	$\uparrow \uparrow \rightarrow$			$\bigcirc$	3	63	1 cm
20 m	63	0	3						3	63	0.25
30 m								O	$P_{-}$	63	0.5
40 m								è			
50 m											
60 m											
70 m											
80 m											
90 m											

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	2	1	(						00 111	<b>70 III</b>
Ε	2	1								
S	2									
W	3	1	1							

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

sie1 tsie1a 2 30m