Daubenmire Datasheet

Date: Observer:

Recorder:

Sara Sara

Site: tuth3b uth3

100m 2

Transect:

Round:

-	1004	Poss	Woody	Ruttonfly	Swamn	Common				
					-	J		4	eam lead:	Tec

	CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody	Bare	Leaf Litter	Litter Depth (cm)
0 m	3	0	10	0	0	0	0		1(0	8(0	O.
10 m	26	0	38	0	0	0	0	0	6	26	000,
20 m	N.	0	25	0	0	0	0	0	200	1(0	2
30 m	200)	W 7	0	0	0	0	0	(000	22	0
40 m	8)8	0	160	0	0	0	0	0	0	No.	0
50 m	N	N	(()	0	0	0	t	9	W.	0	
60 m	8)8	S	10	G	0	0	0	0	C W	7	
70 m	25		63	0	0	0	0	9	W S	W.	0
80 m	CV	0	16	0	0	C	0	0	(2)	N	0
	N	N)	0))	N	2	

CSG - cool season grasses (including sedges) Categories: <u>0</u> – absent | <u>1</u> – trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

≶

N

0

Q

6

(N)

S m Z

o ₹

10 m

20 m

30 m

40 m

50 m

60 m

70 m

80 m

90 m

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground – includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm