Daubenmire Datasheet Date: Observer: Recorder:

Site: bcr1 **Transect** tbcr1a

Round: 2

50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
O m	160	3	38	0	- 112	ncis -	/	0	3	86	5
10 m	3	4	63	.3	2 500011	J		0,	3	86	3
	<u>3</u> 3	2	00	0				D ,	3	63	1
20 m		0	80	A		(5)		0	10	38	2
30 m	3	0	86					> 3	3	30	1
40 m	86	0	63	A				4		- 30	
50 m											
60 m											
70 m					98	<u> </u>					
80 m				Physical		All States					
90 m											

Robel Pole:

ODELLO	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
	O M	10 111	20 111							
Ν	12	13	15	2	14					
Е	13	15	12	7	H					
5	3	10	12	14	12					
W	9	14		12	12					

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm