Daubenmire Datasheet

Date:

Observer:

Site:

Transect: tall1a all1

Round:

3 50m

Recorder: Team lead:

	CS6	WS6	Forbs	Milkweed	Common #	Swamp ramet #	Butterfly ramet #	Woody	Bare	Leaf	Litter Depth (cm)
0	38	0	228	0	1			<u>پ</u>	10	110	025
10 m	)(0	0	98	0				2			2000
20 m	16	0	28	J				)(	0	2	V O C
30 m	38	0	6	O (				7	5	N C	n (
40 m	218	9	2	7	2	9	3	- (	110	NA	200
50 m								-	,		0.00.
60 m							*				
70 m											
80 m											
90 m											
Robel Pole:	ole:										

	0	10 m	20 m	30 m	40 a	50 m	3	m 60 m	
z	(0	7	6	5	=				
Е	0	4	7	T					
S	0	T	6	9	رى				
€	2	1	10	X.	-	$\overline{}$			

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground – includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm