Date: Daubenmire Datasheet Recorder: Observer: Team lead: Round: Site: Transect: _ thar1a har1

	CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare	Leaf Litter	Litter Depth (cm)
0	W 500	\bigcirc	رن ج	0	7	\bigcirc	()	0	U)	60	
10 m	5	\circ	Ro		C	C			6	\ \ \	
20 m	5	0	26	0	0	3		9	W	6%	
30 m	A		,								
40 m						i i s					
50 m											
60 m											
70 m											
80 m											
90 m											

20 m 30 m 40 m 50 m	30 m 40 m
40 m	40 m 50 m
	50 m
50 m	
	60 m
70 m	
70 m 80 m	80 m

Categories: 0 - absent | 1 - trace | CSG - cool season grasses (including sedges) 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm