0 3 Date: Recorder: Observer: Daub_..mire Datasheet Team lead: **CS6** 0 2 WS6 9 0 Forbs C Milkweed ramet # Common ramet # Swamp Butterfly ramet # Site: Transect: Species Round: Woody Ground Bare W tarm1b arm1 60m Litter Leaf 0

> Depth (cm) Litter

90 m	80 m	70 m	60 m	50 m	40 m	30 m	20 m	10 m	0 m
				0	36	3	10	D 1	63
				0	-	W	16	110	0
				90	63	00	280	20	0
				0	d	0	0	0	0
				0	0	0	0	0	0
				0	0	0	0	0	0
			11	0	0	0	O	0	0
				0	d	0	0	0	0
				8/0	3	63	38	((0	()
				6	38	38	38	(23	86
	ā			0.2	0	0.5	_==	_	2:5

. 2 N

0 m	Z)	m 	o m
10 m	00			7
20 m	7).		7
30 m	=	0	Control of the Contro	0
40 m	9	M		
50 m	8	D	8	
60 m				
70 m				
80 m				
90 m				

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm