Daubenmire Datasheet

Date: 7-13-17

Observer: Topi, Nancy

Recorder: _

Team lead: Tori/Syd

Site:

piot Pio2

tpiota +pio2a

Transect:

2

Round:

80m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
O m	110	38	38	0	0	D	2	0	14	80	0.25
10 m		3	86	\bigcirc	0	0	0	0	16	63	0.25
20 m	38	3	(03	0	0	0	0		3	86	0.85
30 m	86	(0)	14	D	0	2	ð		3	38	2
40 m	16	63	38	0	\bigcirc	0	0	0	16	63	0.25
50 m	38	0	(13	6	D	0	0	0	16	120	0 25
60 m	1(0	0	38	0	0	0	70		3	.86	0.25
70 m	110	3	86	0	0	D	0	D	14	38	0.25
80 m											
90 m						-					

Robel Pole:

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	3	2	3	3	3	3	3	2		
Ε	3	2	3	3	2	3	3	3		
s	3	2	3	3	2	4	T	2		
W	3	2	3	3	3	3	3	2		

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm