Daubenmire Datasheet

Date: 8-11-17

Observer: Name

Recorder: Name

Site: pre4a
Transect: tpre4a
3

Round: 80m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	3	$\bigcirc$	86	0	0	$\bigcirc$	0		38	3	
10 m	0	$\circ$	86	0	0	0	0	0	38	3	
20 m	16		63	0	0	0	0	0	10	1(0	\
30 m	0	0	98	0	0	0	0	0	10	3	0.25
40 m	0	0	86	0	0	0	$\circ$	0	38	110	0.25
50 m	0	0	86	0	0	$\circ$	0	0	10	38	1
60 m		0	86	0	0	0	0	0	38	1(0	0,25
70 m	3	0	63	0	0	0		0	38	16	0,25
80 m										14	0,00
90 m						110000000000000000000000000000000000000					

## Robel Pole:

Team lead:

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N		(	(	.1		1	2	2		
Ε		(	(	-1	The Labour of	1	1	2		
s	1	1	(	1		(	1	1		
W		i j				(	a	1		

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm