1

Daubenmire Data Sheet

Sampling Date and Year:

100 m

BYDI Site: Tella, Kielle, Kelley, Collon this date: 6-28-16 Data Collected by: John,

Litter	Depth			2	S,		(8	5,0	4.	- (2	d)
Leaf	Litter	5.9	98	101	200	800	000	200	5 19	200	38	00	200	`
Bare	Ground	5)	_	2	7 (70	7 -	- (0		7	1	m	-
Woody	Species	G	1	6) () {) (0 () () <) "	9	0
														α
														7
Milkweed			0	0	€			0		0	2	16		9
													9	ນ
Forbs	28	0 '	20	9	30	200	4	0 00	00	8	7	0 0	A	4
WS6	(3	C	0	6	2	0	0	0	0	0	6)	m
952	63	1.3	20	23	23	~	920	29	63	8	63	67	0.2	1 2
	-	0	1	n	4	D.	9	7	80	6	10	-	Robel Pole:	

<u>38</u> - 25%-50% <u>63</u> - 50%-75% <u>86</u> - 75%-95% 16 - 5%-25% 3 3 - trace-5% Categories: 0 - absent 1 - trace 2 M >

10

9

 ∞ 3

Q 6

06

3 08

76

S

7

CR

Z ш 98 - 95%-100%

CSG - cool season grasses (including sedges) WSG - warm season grasses

Forbs - forbs not including milkweed

Milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material), Litter Depth - to nearest .25 cm