Daub-Amire Datasheet

Date:

Recorder: Observer:

Team lead:

Site: bcr2

Transect: tbcr2a

Round:

50m Н

	CSG	WS6	Forbs	Milkweed	Common #	Swamp ramet #	Butterfly ramet #	Woody	Bare	Leaf	Litter
0 m	W		26	0	Q	0	\ \ \	3	2)	X / 0	2
10 m	16	W	(0,3	Ò	0	0	Θ)		018	2000
20 m	38		2	0		0)	y (-	200	5
30 m	(03	0	100	0	E	0	0	0	<u></u>	810	л ⁹
40 m	8(0	0	22	0	0	0)	3	3	500	0
50 m								(((2
60 m											
70 m											
80 m											
90 m											
Robel Pole:	ole:										

0 m	z	m)	S)
n 10 m	2)	٩٠) }
20 m	W	,	W	S
30 m	2		r.	Y
40 m	2	4	4	Н
50 m				
60 m				
70 m				
80 m				
90 m				

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm