Daubenmire Datasheet

Date: 7-16,18

Observer: J. II + Karla

Z :=

Recorder:

Team lead: Norch

> Site: pre4b

tpre4b

Round: Transect: 100m 2

	CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody	Bare	Leaf Litter	Litter Depth (cm)
0 m		Q	98	8	0	0		Ø		_	0.
10 m	38	0	88	9	Ø	0	Ø	0	3	W	
20 m	16	0	98	3	Q	0	0	0	0		
30 m	38	0	98	9.	0	0	Q,	9	0		
40 m	0	0	85	Ø	0	B	9	Ì		-	
50 m	3	2	38	3	Š	0	3	2		ν.	
60 m	3	6	20	QT	0	0	9	0	0	_	
70 m	Q	0	86	0	0	9	O	9.			
80 m	63	0	63	0	Q.	0	0	0		_	
90 m	5	0	80	0	6)	F	9	9			

1	
\mathbf{T}	
~	
9	
0	
ă	
10	
-	
-	
0	
=	
6	

	z	Е	S	*
0 m	16	16	16	16
10 m	0	7	8	91
20 m	H	0	p	7
30 m	+	4	9	
40 m	0)	0	4	
50 m	13	13	13	3/
60 m	2	2	2	2
70 m	0	8	16	1
80 m	6	12	15	16
90 m	2	t	8	10

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm