Daubenmire Datasheet

Date:

Observer:

Recorder:

Team lead: _

Site:

nor1

Transect

tnor1b

Round:

3

50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	0	63	. 16	3		3		0	1/	86	0.5
10 m	9	38	63	3				0	1/	63	0.5
20 m	3	0	98	0				0	16	63	0.5
30 m	63	0	36	0				0	1/	38	
40 m	0	16	38	1	1			0	16	38	0.25
50 m					'			U	16	٥ د	0.75
60 m					A		and the second			is e	
70 m											
80 m				Ž.	482						
90 m											

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
Ν	2	3	3	3	3					
Ε	3	3	2	2	4					
s	3	2	3	2	H					
W	2	3	3	2	2					

Categories: <u>O</u> - absent <u>1</u> - trace <u>3</u> - trace-5% <u>16</u> - 5%-25% <u>38</u> - 25%-50% <u>63</u> - 50%-75% <u>86</u> - 75%-95% <u>98</u> - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm