Daubenmire Datasheet

Date: Team lead: Keeping States Stat

Site	har1	V
Trans	thar1a	
	2	-
Rounc	30m	

	cs _G	W56	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
O m	1	10	63	0	0	0	ර	0	1	10	2.0
10 m	3	43	10	0	0	0		0	5	100	0.25
20 m	0	3	80	0	0	0	0	0	10		0.25
30 m	\wedge	\setminus			\sim	•					\rightarrow
40 m											7
50 m	MA		A								TA
60 m	M	(X, X)			1		IX// X			1	XXI
70 m		$//$ \times			\///		X/				XX
80 m			H			1X			X	Y	1
90 m	9										

Robel Pole:

obel 1 o	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	\	2	0		5					
Ε	\	1	0						1	
s	1	3								
W		1	0							

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm