Daubenmire Datasheet

Date:

Observer:

Recorder: Klimer

Team lead:

Cita		
SITE	•	

cre1

Transect:

tcre1a 2

Round:

100m

	CSG	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	38	Ø	80	Ø	Ø	Ø	Ø	Ø,	16	80	0.25
10 m	8	16	63	Ø	Ø	X	Ø	Ø	3	80	025
20 m	8	63	63	8	Ø	Ø	10	0	3	80	0.75
30 m	100	38	86	Ø.	Ø	8	0_	Ø	3	86	0+0
40 m	8	1(2	86		8	Ø	20	Ø	3	8le	0,50
50 m	Ø	7	86	Ø	Ø	×	8	Ø	3	86	0.50
60 m	Ø	1	98	Ø	0	0	0	Ø	3	Y Ce	2.00
70 m	8	1	98	8	0	Ø	Ø,	9	3	80	0.50
80 m	Ø	8	98	8	Ø	Ø	8	D	5	86	2.60
90 m	Ø	10	80	Ø	Ø	B	Ø	90	3	86	0.50

Robel Pole:

Rodel Po	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	2	4	(0	U	Z	7	2	10	12	7
Е	3	5	8	7	5	4	5	10	14	9
5	5	7	6	7	4	8	16	10	0	9
W	6	4	5	(0	4	8	8	7	10	12

prairietens

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm