Daubenmire Datasheet

Date: 0

Recorder: Observer:

Team lead:

Site: Transect: pio2

80m

Round: tpio2a

	CS6	WS6	Forbs	Milkweed	Common	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	200	Ø	Ø	W		Ø	Ø	Þ	$\langle \mathcal{N} \rangle$	86	25.0
10 m	26	Ó	S	ø,	Ø	Ø	\delta	Ø,	الأ	86	2.00
20 m	0)3	Q	0)]	Ø	X	Ø)	Ø	8	W	86	3.8
30 m	0/8	Ø	01	Ø	Ø	Ø	Ø	Ø	W	000	8
40 m	860	Ø	0)(	Ø	Ø	Ø	Ø	Ø	Co	X(0)	8.4
50 m	63	Ø,	0)[	Ø,	Ø	þ	X	Ø	(W	20	2 8
60 m	N8	Ø	8)5	Ò	Ø,	B	Ø	Ø	CV	8/0	2.00
70 m	860	Q'	0	Ø	Ø	Ø	Ø	Ď	S	26	8
80 m		/ / /	/	>		>	>.		)	>	>
90 m	7 7 7 7	$\cup$	0			(			<		<

## Robel Pole:

S		m N	z	о в	
	7	7	2	10 m	
N	S	4	4	20 m	
Л	5	4	4	30 m	
6	(Q	8	8	40 m	
S	N	U	UT	50 m	
N	J	S	N	60 m	
N	N	S	S	70 m	
Carterion Contraction Contract		$\Lambda$	\ \ \	80 m	
The state of the s	A STATE OF THE PARTY OF THE PAR	The second second second second	The second secon	90 m	

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Litter Depth - to nearest .25 cm Leaf Litter (horizontal dead material)