100 m 6-50m 100 m., so no values Depth Litter 0 0 0 \* 50 m. TRONSPECT, NOT Litter Leaf Ground Bare C/ Species Woody 0 on this date: 5-39 Milkweed Forbs S 0) Data Collected by: WSG 0 Sampling Date and Year: 0 Daubenmire .. ta Sheet VER X 686 3 Qr) Site: 10 00 2 3 4 4

	3 4	7 5	5	10 10	2
	2 3	3 7	0	70	2
	e0	7 2	6	N	5
	4	2	activities.	5	9
	5	00	2000	8	3
	1				
	60		Ni I		
	9 10				

98 - 95%-100% <u>38</u> - 25%-50% <u>63</u> - 50%-75% <u>86</u> - 75%-95% 16 - 5%-25% 3 - trace-5% Categories:  $\underline{0}$  - absent  $\underline{1}$  - trace

ver tver2a

1

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material), Litter Depth - to nearest .25 cm

\$50 meter transpect, NoT

Daubenmire Data Sheet

Sampling Date and Year:

Site: VER

Data Collected by:

on this date: (0-29-16

Depth Litter Litter Leaf 62 Ground Bare Species 50 m Woody Milkweed Forbs WSG 982 10 9 00 0 405 ×

	Z	m	S	*
1	7	5	<b>OB</b>	0
2	20	5	9	
m		01	1	9
4	and the same	01	S	0.1
വ	W)	9	3	L
•	7	7	7	69
7				
00				
6				
7				

98 - 95%-100 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 16 - 5%-25% 3 - trace-5% CSG - cool season grasses (including sedges) Categories: <u>0</u> - absent <u>1</u> - trace

ver1 tver1a 1

WSG - warm season grasses

Forbs - forbs not including milkweed

Milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material), Litter Depth - to nearest .25 cm