Daubenmire Datasheet

Date:

Observer:

Recorder: 1000

Team lead: _

Site:

gro1

Transect:

tgro1a 2

Round:

60m

, 5 4.		1	Forbs	Milkweed	Common	Swamp	Butterfly	Woody	Bare Ground	Leaf Litter	Litter Depth (cm)
	CSG	WSG	***		ramet #	ramet #	ramet #	Species	oround	80	0 75
O m	98	Ø	3	Ø	D	Ø	Ø.	0	7	98	D.25
10 m	3	16	80	Ø	Ø	Ø	Ø	0	3		V
20 m	16	3	98	0)	Ø	Ø	8	Ø	3	10	1.0
	3	Ø	98	0	Ø	2	0	Ø	1	98	10
30 m		1	04	1	7	0	Ø	(%)	63	16	0.15
40 m	10		10	1 8	5 /		X	Ø	(03	1(0	0.25
50 m	Ø	Ø	08	N	0	W.	100 miles	,	00		
60 m					1						
70 m						1					
80 m											
90 m											

Robel Pole:

obel Po	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	1	3	-	4 1	4	3				
E	1	3	4		25	И				
s	1	3	4	4	Ч	3				
W	1	5	-4	3	3	U				

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm