Daubenmire Datasheet Date:

Observer: Recorder:

Team lead:

Site:

ber3

Transect:

tber3a 2

Round:

50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	3	16	98	0		0	\circ	0	38	63	0.25
10 m	3	16	8U	0	0	0	0	0	38	38	0.25
20 m	3	3	38	0	\Diamond	0	0	Ö	1.10	(03	0.25
30 m	3	16	38	O	0	0	0		110	(.03	0,25
40 m	14	16	38	0	0	\bigcirc	\circ)10	63	Cun
50 m									7 00		1000
60 m											
70 m				, ,						,	1 A.
80 m											
90 m											

Robel Pole:

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N		2	2	21	2					
Е	\	3	3	2	9					
s		3	2	2	2				(
W		2	2	2	2					

Categories: <u>0</u> - absent <u>1</u> - trace <u>3</u> - trace-5% <u>16</u> - 5%-25% <u>38</u> - 25%-50% <u>63</u> - 50%-75% <u>86</u> - 75%-95% <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm