Daubenmire Datasheet

Date:

Observer: 2

Recorder:

Team lead: 1

> Site: Transect: tpio2a pio2

80m 2

Round:

	CS6	WS6	Forbs	Milkweed	Common	Swamp	Butterfly	Woody	Bare	Leaf	Litter
	>				ramet #	ramet #	ramet #	Species	Ground	Litter	Depth (cm)
0	63	0	ω ⊗	w	-	t	1		16	78	1.5
10 m	53	0	98	0	1	1	ı	6	39	29	025
20 m	63	0	63	0	1	1	1.2.	7	63	200	125
30 m	8 8	0	W	6	(1		0	w :	3/8	- 0
40 m	63	0	63	0	1	1	1	>	3/	63	77 3
50 m	مح	0	N P	7				5	2/	3	
			00	, ,	,	1	and the second	0	36	36	0.5
60 m	6 3	0	38	W			1	0	6	63	6 6
70 m	38	0	J.	0	•		١	0	5 8	23	0 5
80 m									-	0	0,0
90 m											
Robel Pole:	ole:										

*	S	m	Z	0
	1	7		0 m 10
0			4	10 m 2
		0	00	20 m
()	6	0	2	30 m
5	6	6	7	40 m
\$	_	(D	8	50 m
6	6	00	10	60 m
7	9	8	7	70 m
		-	8)	80 m
				90 m

Categories: $\underline{0}$ - absent $|\underline{1}$ - trace $|\underline{3}$ - trace-5% $|\underline{16}$ - 5%-25% $|\underline{38}$ - 25%-50% $|\underline{63}$ - 50%-75% $|\underline{86}$ - 75%-95% $|\underline{98}$ - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Leaf Litter (horizontal dead material) Bare Ground – includes rocks, lichens, moss, branches, and cow pies

Litter Depth – to nearest .25 cm