Daubenmire Datasheet

Date: 6-14-19

Observer: Will tEli

Recorder:

Team lead: Nancy

Site: pre2

Transect: tpre2a

100m

Round:

	W 0	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	3
CS6	-	16	63	300	38	9	6	لی	9	
WS6	0	0	0	0	0	0	0	0	0	C
Forbs	2	98	38	69	63	98	96	400	38	W.
Milkweed	0	0	0	0	0	0	0	0	0	0
Common ramet #										1
Swamp ramet #		diverse, in a special contract to the second and th								
Butterfly ramet #									A PRINCIPAL AND ADDRESS OF THE PARTY OF THE	THE PROPERTY OF THE CONTRACT OF THE PROPERTY OF
Woody	0	a	0	0	0	0	0	0	d	0
Bare	0	36	300	52	2)	38	8	38	38	38
Leaf Litter	63	0	63	38	83	53	63	83	63	62
Litter Depth (cm)	1,00	0.25	05.0	0.50	1,00	1.25	0.50	0.25	0.5	3

(0	
ţ	7	٠
(0	
Ī		•
•	O	
9	2	
2	0	

	z	ш	S	€
0 m	B	4	9	8
10 m	0	0 (0	0
20 m	9	8	2	0)
30 m	8	2	A	A
40 m	2	9	B	B
50 m	J	7	D	7
60 m	a	0	8	0
70 m	_0	9	lo ,	A
80 m	-0	ō	0	9
90 m	Ø	00	A	J

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm