Daubenmire Datasheet

Date:

Observer:

Recorder:

Team lead:

ber3 Site: tber3a Transect:

Round: 50m

Tour	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
_	~	X	(03	Ø	Ø	Ø	Ø	Ø	16	86	3
0 m	3	2	40		~	2	(X	a	100	(03	1
10 m	3	Ø	63	Ø	9	9	X	K	38	1(0	3
20 m	10	Ø	86	Ø	Ø	Ø	Ø	TX	(03	110	2
30 m	38	Ø	63	Ø	7	Ø	\(\sigma\)		63		0.25
40 m	10	Ø	80	Ø	Ø		100	\mathcal{L}	(0)		0,00
50 m											
60 m										4.	
70 m											
80 m											
90 m											

Robel Pole:

obel Po	le:					E0	60 m	70 m	80 m	90 m
	O m	10 m	20 m	30 m	40 m	50 m	00 111	70	00 1	
N	7	2	4	10/	3					
Ε	5	(0	3	7	2					
5	9	4	5	8	4					
W	8	2	8	4	12					

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm