Daubenmire	Datasheet
Date: _	8-11-17
Observer: _	Dancy
Recorder: _	Nency
Team lead: _	Sydney

Site:	pre2a		
Sile.	tpre2a		
Transect	3	_	
Dound:	100m		

Round: 100m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m		0	86	0	0	0	6	6	16	38	0,25
10 m	Ó	0	86	0		0	0	0	3	38	0, 25
20 m	0	0	63			0	0	0	16	38	0,25
30 m	0	0	86	0	0	0	0		10	38	6,25
40 m	3	16	63	0	0	0	0	0	10	16	0.25
50 m		1	63	0	0	0	0	$\bigcirc$	3	63	
60 m	Ó	3	38		0		0	0	3	63	0,5
70 m	\	Ó	80	0			0	0	3	63	0.25
80 m			86	0	0	0	0	0	3	63	0.25
90 m		1	86	0	0	6	0	0	3	63	

Robel Pole:

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	2	2	2	2	a		D	)	1	1
Ε	2	2	2	2	2			9		1
s	\	9	2	3	2	-	2	(		1.
W	1	2	2	Q		(	9	2		

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm