Daubenmire Datasheet

Date: 8/13/18

Observer: 2.

Recorder:

Team lead:

Site: Transect: tpre2a pre2a

Round:

100m ω

	CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Buttertly ramet #	Woody Species	Ground	Leat Litter	Litter Depth (cm)
E 0	_	0	63	9	0	Q	0	0		W	0,25
10 m		0	63	,0	9.	0	B	0	-	38	0.15
20 m		0	38	6	67	0:	0	0		8 8	0.25
30 m		0	63	0	0	Q	0	0	_	38	Ò. %
40 m	0	0	63	0	0	D	9		_	91	1.5
50 m	0	0	38	0	Q	Ø	P	0;	D	38	
60 m	0	9	63	0 -	0	0	D	0	0	38	-
70 m	0	Ø	63	Q	0	0	0	0		32	1,25
80 m	0	0	63	0	Ø	0	0	0	_	2]	1.5
90 m	38	0	38	Ø		0.	0	0	0	3	0.5

•	3	
ţ	5	•
(0	
•		•
	v	
	Š	
•	=	•
•	v	
	• •	

€	S	Е	z	
_	8	10	F	0
12	13	12	12	10 m
12	13	12	()	20 m
5	12		6	30 m
5	9	4	14	40 m
7	12	12	12	50 m
3	5	13	12	60 m
0	12	12	12	70 m
2	12	4	0	80 m
9	5	0	5	90 m

Categories: $\underline{0}$ - absent $|\underline{1}$ - trace $|\underline{3}$ - trace-5% $|\underline{16}$ - 5%-25% $|\underline{38}$ - 25%-50% $|\underline{63}$ - 50%-75% $|\underline{86}$ - 75%-95% $|\underline{98}$ - 95%-100% CS6 - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm