Daubenmire Datasheet

Date: 7-17-17

Observer: 100 + 1000

Recorder: TOYI

Team lead: Tori/Sydney

Site:

tie1

Transect:

ttie1a 2

Round:

30m

	CSG	WSG	Forbs	Milkweed	Common	Swamp	Butterfly	Woody	Bare	Leaf	Litter
			A STATE OF THE STA		ramet #	ramet #	ramet #	Species	Ground	Litter	Depth (cm)
0 m	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	98	110	0.25
10 m	Ø	Ø	860	Ø	Ø	Ø	B	Ø	(03	10	0.25
20 m	16	Ø	86	Ø	D	0	0	Ø	63	1()	0.25
30 m					7					10	010)
40 m											
50 m						150 h					
60 m									_		
70 m											
80 m											
90 m	0										
Dahal	0.1.		•	-							

Robel Pole:

/	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	Ø	2	3	4						
E	Ø	3	2							
5	8	3	3							
W	Ø	2	3							

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm