Daubenmire Datasheet	Site: pre4b
Date: 8-11-17	Transec tpre4b
Observer: Sydney Hall	Round: 3
Recorder:	
Team lead: Sha H.	

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	U	D	3	0				0	86	38	2.0
10 m	D	0	86	0				O	16	63	0.25
20 m	0	0	63	0.				0	3	86	1.0
30 m	0	0	86	0				0	16	80	0.50
40 m	0	Ô	84	0				$\bigcirc$	10	38	0.25
50 m	$\bigcirc$	0	86	0		7-4		6	16	38	0.25
60 m	0	3	86	0					3	103	0.25
70 m	$\bigcirc$	0	98	D				0	10	43	0.25
80 m	Ô	0	86	0			y	$\bigcirc$	16	38	0.25
90 m	0	0	63	0				0	16	(e 3	0.25

## Robel Pole:

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	\	2	2	2.	2			2	)	2
Ε	1	2	2	2	2	2	1	2	(	2
s	1	2	3	2	2	1	1	2	1	2
W	)	2	2	2	2	1	1	2	1	2

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm