Daubenmire Datasheet

Date: 0115/18

Observer: Will

Recorder: Will

Team lead: North

 Site:
 pre3b

 Transect:
 3

 Round:
 50m

	CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody	Bare	Leaf Litter	Litter Depth (cn
0	63	0	2 8	0	D	0	P	Ø		- 1	0.5
10 m	91		53	0	9	0	9			~	0.5
9	2))	The state of the s	*		76			
20 m	38	0	38	Ø	0	Q	0	0		N	_
30 m	16	0	63	0	Q	0	0	3		8	0.75
40 m	6	0	63	0	Q	Ø	0	D		3	0.75
50 m											
60 m											
70 m											
80 m											
90 m											

		,	
7		,	
7	9	•	

	z	Е	S	\$
0	5	8	7	5
10 m	7	13	(3	14
20 m	12	13	_	
30 m	6	5		-2
40 m	7	모	13	0
50 m				
60 m				
70 m				
80 m	140			
90 m				

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm