										,
Daubenmire Datasheet	Datasheet)X		Site:	ber3		
Date:	(0-15	-18		, , , , , , ,	30,000	3:/	Transect:	tber3a		
Observer:	Now	>		Oct of	2000	1	Round:	ъ		
Recorder:	NOW	2		S. J.	San Cock	8		50m		
Team lead:	285	FC		2						
CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Ground	Leaf Litter	Litter Depth (cm)
O 3	P	98	Φ		\	1	Ф	63	W	0,25
10 m	Ф	86	φ		1	1	Ф	6	W	0.25
20 m /(o	Ф	X) 6	φ	1	-		Ø	N 6	(N	0,0%
30 m 3	0	0	Ф	1			ф.	6	W	0.25
40 m	Ф	9.8	ф)			Ф	6 N	W	0,00
50 m										
60 m										
70 m										
80 m										
90 m										
Robel Pole:										
о т	10 m	20 m 30	m 40 m	50 m	60 m 70 m	m 80 m	90 m			
z	<u></u>	160	4	7						
E (Q	9	14 71	<u>-</u>							
S	9	0	3	<u></u>						
X	6	示 —	5							
Categories: <u>O</u> - absent CSG - cool season grass	bsent <u>1</u> – tra n grasses (incl	gories: $\underline{0}$ - absent $ \underline{1}$ - trace $ \underline{3}$ - trace-5% - cool season grasses (including sedges)	16	- 5%-25%	<u>38</u> - 25%-50%	63 -	50%-75% <u>86</u>	<u>86</u> - 75%-95%	<u>98</u> - 95%-100%	0%
WSG - warm season grasses	son grasses									
Wood - woody cover	ver									
Bare Ground - includes rocks, lichens, moss, branches, and cow pies	cludes rocks, I	ichens, moss, b	ranches, and c	ow pies						
Litter Depth - to nearest .25 cm	nearest .25	in i								50011