Daubenmire Datasheet

Date:

Recorder: Observer:

Team lead:

Site: Transect: nkn2

tnkn2a

100m 2

Round:

90 m 80 m 60 m 50 m 30 m 20 m 70 m 40 m 10 m 0 38 8 7 07 (1) **CS6** 6 0 WS6 0 0 200 200 Forbs 5 Milkweed 0 ramet # Common ramet # Swamp Butterfly ramet # Species Woody Ground W Bare 6 (N) S 3 Litter 6 Leaf Depth (cm) N W Litter

(0
1	5
1	Ø
ì	_
	_
	Q
	•
	_
(0

	z	m	S	€
0 3	0	2	5	N
10 m	W	000	N	7
20 m	6	W	\otimes	+
30 m	7	q	4	00
40 a	<u>a</u>	9	6	ō
50 m	M	J0'	8	00
60 m	5	N	9)	
70 m		14	シ	
80 m	5	三	_	5
90 m	W	6	∞	6

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm