Daubenmire Datasheet

Date:

Observer:

Recorder: Namey 5.

Team lead: \_\_//anty 5.

pre5 Site: tpre5a

Transect:

2

Round:

100m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
O m	3	0	98	0	_	politicalities		0	38	63	4
10 m	1	0	38	0	_			0	58	63	0.5
20 m	3	A	10.3	0				0	38	63	
30 m	3	0	86	0				0	38	63	0.5
40 m	3	0	63	0	_			0	63	38	0,25
50 m	0	Φ	98	0				-	16	63	0.25
60 m	3	0	103	0		-		63	16	63	0.25
70 m	63	0	(03	0			_	0	160	63	2
80 m	10	9	98	8		1		0	10	63	5
90 m	38	0	63	0				9	38	38	2

Robel Pole:

Robel Po	116.				-		Legi			
	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	10	12	14	14	15	15	9	13	14	14
E	15	14	12	13	14	16	10	13	15	14
S	15	14	13	14	14	16	11	8	14	14
W	12	14	12	14	116	15	14	8	14	13

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm