Daubenmire Datasheet

Date:

Observer:

Recorder:

Team lead:

Site: bcr1 tbcr1a Transect:

2 Round: 50m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	3	0	16	0			, attack	0	63	38	0.25
10 m	16	Ó	16	0				0	38	63	0.5
20 m	3	0	38	0				0	16	63	0.5
30 m	16	D	38	0				0	3	86	0,25
40 m	0	0	38	6		A		Ŏ	3	86	0.5
50 m		- 0									
60 m					ĺ						
70 m											
80 m				25.							
90 m											

Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	0	Ó		1						
Е		0	1	0	0					
s	1	0	1		0					
W	1	1		1		/			-	

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm