Date: Recorder: Observer: Daubenmire Datasheet 81-51-0 Site: Round: Transect: tdun3a dun3 100m

Team lead:

	CS6	WS6	Forbs	Milkweed	Common #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare	Leaf Litter	Litter Depth (cm)
0	×(0	Þ	(1)	ф	\			0		38	
10 m	200	Ф	36	0		1	1	φ	16	6	_
20 m	N	φ	2	Φ				Φ	W	38	
30 E	300	P	26	\$				Ф	()3	38	
30 ::	() (2	Þ				Þ	N		N
10 11	())	4	0	(- (- (
50 m	22	ф	20	P)	1		ф	- 6	160	_
60 m		B	Q ,	D)		þ	()	C	56,0
70 5	NE	9 (2	Þ				Φ	82	W	0,25
3 3) (0-0	3 (þ	1/0	(V)	280
80 m	16	P	~	4					i E	J (8,50
90 m	5	ф	98	d			1	Φ	6	(,	0,25
,											

m O	z	m S	0	S
10 m	W	W	W	כת
20 m	M	l	w	رب
30 m	F		7	(n
40 m	ىو	C	Q)	エ
50 m	0	4	S	4
60 m	7	t	v	V
70 m	Ĩ.	-	W	W
80 m	(v)	1	(1)	(v)
90 m	CI	6	Co	4

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material) Litter Depth - to nearest .25 cm

Appelgate updated 5/30/17