Daubenmire Datasheet

Date: 8-11-17

Observer: Nancy

Recorder: Nancy

Team lead: Sidney

			0									
	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)	
0 m		16	38	0	0	0	0		3	86	1	
10 m			80	0	0	0	0	0	3	03	3	
20 m		0	86	0	6	0	0	0	16	3 %	1,5	
30 m	0	0	63	0	0	0		m	16	63	2	
40 m	0	0	86	0	7)	0	0	0	38	16	0,25	
50 m	Ô	0	86	Ō	0	0	à	0	38	110	0.25	
60 m	0	0	63	0	0 /	0	0	0	3	63	1	
70 m	0	0	16	0	0	Ô	D	0	3	86	3	
80 m	\circ	0	63	0	0	0	0		110	38	2	
90 m		(86	Ď	0	0	0	0	3	38	3,5	
Dobal I	D.L.									00	2,0	

Robel Pole:

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	([1 1	2		2		2	2
Ε	(Ì	(2	1	2	1
s	(1	ì	2	1	1	1	1	2	2
W				a	2	ĺ	3	(2	1

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

CSG - cool season grasses (including sedges)
WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm

pre3a

tpre3a

3

100m

Site:

Transect

Round: