Daubenmire Datasheet

Date: 6/19/2019

Observer: Alky

Recorder: Melanie VC

Team lead:

Site: sut2

Transect: tsut2a

1 70m

Round:

	250	1100	)		Common	C					
	000	DC AA	Forbs	Milkweed	ramet #	ramet #	Buttertly	Woody	Bare	Leaf	Litter
0	W	$\mathcal{O}$	80			1	# Ishin	Species	Ground	Litter	Depth (cm)
10 m	_	N	aa		) (	>(	0	C	6		S.O.
30 E		) (			C	C	0	0	200	V	>
E 02	6	C	63	لر:				) (		C	С
30 m	W	C	2	)(	5 (		)(		65	7	, v
40 m	_	_	1.2	)			C		200	_	_
20 m	-	۔ ان	X				C	0	9		2
	١		0		С	0	)	)	1		. (
300 m	Ü	0	2	N	-	)	)(		60	-6	
70 m						C		C	63	6	
80 m											
90 m											
Robel Pole:	ole:										
	)				e di						

	3	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90
z	N	P	4	W	2	7	2			
ז	)	١.		, (	6	-	_			
n	2	4	6	4	7	٥	2			
n	)	1			) -		_			
U	5	S	+	6	+	2	0			
•	)	2				(	_			
*	2	S	0	N	4	)0	2			

CSG - cool season grasses (including sedges) Categories:  $\underline{0}$  - absent  $|\underline{1}$  - trace  $|\underline{3}$  - trace-5%  $|\underline{16}$  - 5%-25%  $|\underline{16}$ <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm