Daubenmire Datasheet

Date:

Observer:

Recorder: Jet

Team lead: _

Site:

arm2

Transect:

tarm2a 2

Round:

100m

		7	U								
	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	16	16	63	0				0	3	86	0.75
10 m	3	38	63	0				0	1	96	0.75
20 m	0	63	38	0				0	3	86	0.5
30 m	0	63	38	0		/		0	16	63	0.5
40 m	0	63	38			5.		()	16	63	0.5
50 m	0	63	38	0				0	86	16	0.25
60 m	0	38	38	0	d			0	63	38	1.0
70 m	0	63	16	6				0	86	16	0.25
80 m	0	63	16	0				()	63	16	0.25
90 m	16	63	38	0				Λ	63	1/	0.23
Robel F	Polo:							V	V 3	16	0.5

Robel Pole:

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	2	3	3	4 /	4	3	5	3	4	3
Ε	1	3	7	3	4	4	6	6	4	4
s	2	3	3	4	1	6	7	6	4	4
W	(4	3	4	5	5	5	4	3	4

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm