Daubenmire Datasheet

Date: 6-16-18

Observer: Nuncy 5 +

Recorder:

Team lead:

Site: pre1b
Transect: tpre1b
1
Round: 100m

_									The second secon		
	CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp	Butterfly ramet #	Woody	Bare	Leaf	Litter
0 m	0	9	2	(A)	(((4	7)	34) Copin (cm)
10 m	91	9	200		(f .	~ δ	36	- 1
20 m	38	A	25	4	Mary Commercial Commer	(4		28	1
				Ĉ				1	0.1	200	0.7
30 m	16	9	5	7	(4	3	35	-
40 m	9 9	0	33	6	\			A	وس	2,0	075
50 m	16	D	63	P				7		2%	2
0	\							0	£	00	(,)
m 00	T	4	W	D		•		9	ىي	38	5E.0
70 m	G.	(A)	8 5	8			1	(C)	3	~ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7.28
80 m	~	(T)	63	+			(~	~	
90 m	16	0	5	0		(P			2)
Robel Pole:	ole:								3	,	

	z	m	S	€
e 0	5	ū	ىت	5
10 m	0	13		0.
20 m	8	5	7	6
30 m	7	Ou	5	5
40 m	5	3	E	4
50 m	0	3	c	3)
60 m	3	4	0	R
70 m	7	∞	S	8
80 m	7	∞	7	M
90 m	2	0	-	9.

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm