

Daubenmire Datasheet

Date: 7-13-17

Observer: Nancy & Tori

Recorder: Tori

Team lead: Tori/Sydney

Site:

Transect:

Round:

~~plot~~ p01

~~tpio2a~~ tpio1a

~~2~~ 2

80m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	38	0	0	0	0	0	0	0	3	63	2
10 m	38	16	3	0	0	0	0	1	3	63	.25
20 m	63	16	3	0	0	0	0	0	3	38	3
30 m	80	16	38	16	0	0	0	0	16	16	.25
40 m	38	3	38	0	0	0	0	0	16	38	.50
50 m	63	16	16	0	0	0	0	0	16	16	1
60 m	63	16	3	3	0	0	0	0	1	63	.25
70 m	63	0	16	3	0	3	0	0	1	63	.1
80 m											
90 m											

Robel Pole:

	0 m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	1	1	2	2	2	2	1			
E	1	2	2	2	2	2	1			
S	2	2	2	2	2	2	1			
W	9	2	2	2	3	2	1			

Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm