Daubenmire Datasheet

Date: 8 | 14 | 17 |

Observer: Recorder: Team lead:

Solve interior

Site: <u>Uth</u>

Transect: New Site tuthla

Round:

· · · · · · · · · · · · · · · · · · ·	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	0.	38	3	0	0	0	0	0	0	6.3	2.00
10 m		16	16	0	0	0	O V	0	3	6.3	0.00
20 m	0.	38	10	1	. \	0	D	0	3	63	6.00
30 m	0	38	16	0	0	0	0	0	3	63	3.00
40 m	0	10	16	0	0	0	0	0	0	80	3.00
50 m	<u></u>	38	10	0	\bigcirc	0	0	0	Ô	86	2.00
60 m	0	38	10	0	0	O	/ 0	0	0	38	3.00
70 m	0	86	1	0	0	10	0	0	0	1.0	4.00
80 m	0	63	10	0		0	0	0	0	38	3.00
90 m	0	38	38	0	0	0	0	0	\	38	3.00

Robel Pole:

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N		1	2	2			-	2	2	2
Ε		2	2	3		2	1	3	2	2
s	1	1	1	2		1	/	3	l	
W	1			1		2	2	3	0	1

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm