Daube ...nire Datasheet 8-16-19 Date:

Observer:

Recorder:

Alex Team lead:

Site:

prd2

Transect:

tprd2a

Round:

3

100m

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
0 m	63	0	16	0				0		21	0.75
10 m	3	63	3	6			29000000	0	3		
20 m	3	3%	38	0						86	0.75
30 m	1	63	16	0				0	/	98	1.0
40 m		,						0		98	0.75
		63	36	0				0	1	98	0.50
50 m	0	3	86	6		2020		0	3	86	
60 m	16	36	16	0			<u> </u>				0.25
70 m	86	2	3					0	3	86	0.75
	. ~		1 1	$\Box$				6	3	98	0.25
80 m	6)	3	(6	2	-			0	9	98	0.25
90 m	36	16	38	0				7	9	98	0.25
Robel	Pole:									7 0	0.75

KODEI POIE:

	O m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
N	5	6	9	10	6	7	CZ.	6	7	(/
Ε	4	5	8	5	7	9	6	5	1/	07
s	3	6	Ц	5	5	4	6	5	7	Z
W	3	5	5	8	4	9	11	6	G	10

Categories: <u>0</u> - absent | <u>1</u> - trace | <u>3</u> - trace-5% | <u>16</u> - 5%-25% | <u>38</u> - 25%-50% | <u>63</u> - 50%-75% | <u>86</u> - 75%-95% | <u>98</u> - 95%-100% CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm