Daubenmire Datasheet

Date: D-18-1

Observer: 7:10 + NECHS

Recorder: 1.110

Team lead: 10000

> Site: Transect: tpre3a pre3a

Н

100m

Round:

	CS6	WS6	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare	Leaf Litter	Litter Depth (cm)
0 m	4	A	98	Ð	1	1		0	16	38	-
10 m	0	Ø	96	6	(	(	1	6	S	38	0,25
20 m	6	B	85	A	\	\		Ø	5	28	5.0
30 m	w	8	80	9	(	(		9	w	38	
40 m	9]	0	86	P	ſ			Ð	رں	3 %	
50 m	Q	0	80	60	Recognition (etc.)			0		38	1
60 m	, &	0	S S	A	\	\	1	R	w	28	
70 m	0	OR	6813	P	\	1	1	P	w	38	5 00
80 m	B	0	280	9	(	1	access:	B		38	2
90 m	16	9	98	P	1	(	1	Q		38	

bel Pole:	2	V	•
Pole:	Ì	5	•
0	-	200	,
		0	•

	Z	m	S	€
0 m	Ŧ	9	7	7
10 m	2	7	3	2
20 m	3	+	F	3
30 m	F	L	9	0
40 m	8	12	8	9
50 m		h	7	5
60 m	4	Y	7	5
70 m	5	00	8	0
80 m	9	$\infty$	7	W
90 m	N	R	8	7

CSG - cool season grasses (including sedges) Categories: 0 - absent | 1 - trace | 3 - trace-5% | 16 - 5%-25% | 38 - 25%-50% | 63 - 50%-75% | 86 - 75%-95% | 98 - 95%-100%

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm