Daubenmire Datasheet Date: Observer: Kelsen E.

Transect: Round: 100m

Site:

byd1

tbyd1a

Recorder: Signed Wilby Team lead: \_\_\_\_\_\_\_\_

	CSG	WSG	Forbs	Milkweed	Common ramet #	Swamp ramet #	Butterfly ramet #	Woody Species	Bare Ground	Leaf Litter	Litter Depth (cm)
O m	16	Ø	38	Ø	Ø	ø	6		16	86	MAG D.
10 m	3	e	16	Ø	0	0			3	76	0.75
20 m	16	8	16	Ø	g/	9			2	98	8.5
30 m	3	S	3	G	5			× ×	3	81	1.5
40 m	3	Ø	16	8	8			85	1	98	1.5
50 m	3	6	16	0	9			1		86	0.5
60 m	3	8	38	8		199	7 9	X		78	1.75
70 m	16	8	16			4	CY	8	>	63	0.25
80 m	16	Ø	38			8	1	18		63	0.25
90 m	16	8	38			1	4				

Robel Pole:

m	10 m	20 m	30 m	40 m	50 m	60 m	70 m	80 m	90 m
	0	١	0 1	0	0	0	Ô	1	.0
	0							1	_
				(f)	0				0
1	0	1	0		0	0	0	0	
1						\	0	1	
1		0	0 1	0 1 0	0 1 0 1	0 1 0 1 0	0 1 0 1 0 0	0 1 0 1 0 0	0 1 0 1 0 0 0 0

Categories: 0 - absent 1 - trace 3 - trace-5% 16 - 5%-25% 38 - 25%-50% 63 - 50%-75% 86 - 75%-95% 98 - 95%-100%

CSG - cool season grasses (including sedges)

WSG - warm season grasses

Forbs - forbs not including milkweed

Wood - woody cover

Bare Ground - includes rocks, lichens, moss, branches, and cow pies

Leaf Litter (horizontal dead material)

Litter Depth - to nearest .25 cm